

# MICHIGAN MELTERS

## MODEL 707 SNOWMELTER

### *SPECIFICATIONS*

melt rate of 30+ tons per hour (heavy wet snow/ ice will melt at reduced rate)

fuel flow 60+ gallons per hour

500 gallon fuel tank with heaters and low fuel shut-off

*Kubota Turbo* diesel generator with full pressure lubrication, fuel and oil filters

industry-first, diesel-powered pre-heater for easy cold-starting (*patent pending*)

premium fuel filters with two-stage heaters (*patent pending*)

insulated, heated and lighted machine compartment with fan controlled ventilation

standard control box includes simple-to-operate controls

**\*\*\*no fancy digital electronics to fail in the cold\*\*\***

maximum heat transfer area for optimal thermal efficiency (*patent pending*)

12 ft. side-loading width/ 8 ft. width tailgate-loading

dumping height is approx. 8 ft.

maximum meltwater discharge 140 gal. per minute at 38-50 deg. F

exterior melter tank doors for clean-out on both sides

**\*\*\*no pumps to occlude with parking lot debris\*\*\***

**\*\*\*no screens on drains to occlude with debris\*\*\***

*(simple splash drainage)*

work area lighting systems optional

machine coated with epoxy primer and is painted throughout

leveling jacks on all four corners

electric brakes on both axles with breakaway brakes

heavy-duty tire and wheel combo

spare tire

mounted on DOT approved trailer

triaxle trailer chassis

DOT approved lights, connectors and sealed wiring harness

on-board battery charger

pintle hitch

*Limited 3-year warranty, applicable in the United States*



***MICHIGAN MELTERS MODEL 707 SNOW MELTER***